## SCOTCITE MAGNETIC TAPE RAND RETICATION RETIC



REELIN



SECRET

INCH

EMPTY

ORIGINAL TAPE: WITNESS TESTIMONY
ACCIDENT BOARD ARTICLE 057
RA NOVEMBER, 1970

Can ECRET

	•	Comments of the first	graph sprange		
X/6-	BEGIN		011		
	TNO		999+937	300:	
					•
· · · · · · · · · · · · · · · · · · ·	<u>.</u>				
				·	
			· · · · · · · · · · · · · · · · · · ·		

$\supset$	EC	R	E	1

TIME CHART	RECORDING BOTH DIRECTIONS							
The Unait	150 FT.	300 FT.	600 FT.	900 FT.	1200 FT.	1800 FT.	2400 FT.	3600 FT.
1% IPS	30 min.	1 hr.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	8 hrs.	12 brs.
3% IPS	15 min.	30 min.	60 min.	1½ hrs.	2 hrs.	3 hrs.	4 hrs.	6 hrs.
7½ IPS	7½ min.	15 min.	30 min.	45 min.	1 hr.	1½ hrs.	2 hrs.	3 hrs.



NOTICE: The following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Seller and manufacturer shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the insability to use the product. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith. The foregoing may not be

changed except by an agreement signed by officers of seller and manufacturer. THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADE-MARKS OF MINNESOTA MINING AND MANUFACTURING COMPANY, ST. PAUL, MINNESOTA 55119.

MAGNETIC PRODUCTS DIVISION 3M COMPANY





14 INCH x 3600 FEET (6.35mm x 1100m) SILICONE LUBRICATED .5 MIL POLYESTER BACKING 290

7 INCH REEL SPLICE FREE PROFESSIONAL TRIPLE LENGTH TENSILIZED



TOP SECRET

Approved For Release 2002/10/25: Q	CRET	
HT 70-397		
24 Nov. '70		
	<del></del>	
BRIEFING BEGIN		
BEGIN	062	in it
END	160	
e e		· · · · · · · · · · · · · · · · · · ·
	* * * * * * * * * * * * * * * * * * *	· · · · · · · · · · · · · · · · · · ·
<u> </u>		. ,
* - T		
	,	
TOPS	DEGRET	

TIME CHART	RECORDING BOTH DIRECTIONS							
TIME CHART	150 FT.	300 FT.	600 FT.	900 FT.	1200 FT.	1800 FT.	2400 FT.	3600 FT.
- 1% IPS	30 min.	1 hr.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	8 hrs.	12 hrs.
₹ 3¼ IPS	15 min.	30 min.	60 min.	1½ hrs.	2 hrs.	3 hrs.	4 hrs.	6 hrs.
7½ IPS	7½ min.	15 min.	30 min.	45 min.	1 hr.	1½ hrs.	2 hrs.	3 hrs.



NOTICE: The following is made in iteu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Seller and manufacturer shall not liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before sixing, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith, The foregoing may not be

changed except by an agreement signed by officers of seller and manufacturer. THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADE MARKS OF MINNESOTA MINING AND MANUFACTURING COMPANY. ST. PAUL, MINNESOTA 55119.
TAPE PATENTED UNDER ONE OR MORE U.S. PATENTS: 265681; 2711901.
MAGNETIC PRODUCTS DIVISION 3M COMPANY.